



WEEKLY PRICE

December 8, 2025



TABLE CONTENTS

CONTENTS

Weekly Report	03
Our Company	05
East African Countries.....	07
West African Countries	08
Asian Countries	11
Terms & Conditions	13
Specifications	14
Packing	15



WEEKLY REPORT

During 1-5 December 2025, Brent crude prices inched up by \$0.42/bl, trading between \$62.89/bl and \$63.77/bl.

Global bitumen markets showed mixed trends in key regions.

In **Asia**, rainy weather, high inventories, and weak demand kept the market under pressure. Singapore export prices fell by \$7/t and South Korean prices declined by \$3/t.

China saw lower domestic prices due to ample supply and low consumption.

India's domestic prices rose, but import interest remained low.

In the **Middle East**, tight supply and stronger demand lifted bulk export prices by \$3.6/t to \$306-314/t.

Bahrain held prices steady at \$400/t, while Iraq saw limited export activity and higher drummed prices.

In **Africa**, West African import prices fell due to lower Mediterranean HSFO. East Africa experienced higher drummed and bulk import prices. In contrast, South African truck prices dipped as suppliers cleared inventories ahead of the seasonal slowdown.

The full report is available at the following link:
[Weekly Bitumen Market-December 8](#)

T E R M S

Price: Prices are calculated based on 500 tons

Delivery Time: The delivery time commences from the receipt of advance payment in the Seller's account and terminates at the time of submitting the customs documents to the shipping line.

Transit Time: Shipping time is out of the Seller's commitments.

Payment: 30% advance and balance on a scanned copy of the BL

IMPORTANT P O I N T S

1. The buyer initiates the order.
2. The seller issues the pro forma invoice (contract) to the buyer.
3. Upon receipt of the pro forma invoice, the buyer is required to remit the prepayment via Swift and return the signed document to the seller.
4. Following receipt of the prepayment and the signed pro forma invoice, the seller arranges for the shipment of the cargo and provides the buyer with a scanned copy of the Bill of Lading (BL).
5. Upon receiving the scanned BL, the buyer settles the remaining balance payment.
6. Once the balance payment is received, the seller dispatches the Commercial Invoice, Packing List, Bill of Lading, and Inspection Certificate to the buyer via courier.

Who We Are

Emperador is a trusted bitumen supplier based in the Middle East, serving clients worldwide with an unwavering commitment to quality and service. We guarantee that every shipment meets the highest international quality standards through our comprehensive supply oversight and rigorous quality control processes. Our dedication to transparency sets us apart. We keep you well-informed with daily data sheets and regular shipment updates, ensuring you have complete visibility throughout the entire process. At Emperador, we approach every transaction with the utmost professionalism, ensuring the delivery of premium-grade bitumen and providing consistent customer service.





OUR MISSION

From the initial consultation to the last delivery, we strive to provide our customers with exceptional service. To guarantee prompt, precise, and effective service, we make use of our skilled team and extensive global network of suppliers.

WHAT WE DO?

Our team is dedicated to keeping lines of communication open throughout the procedure, providing daily updates on the status of the shipment, and delivering the highest quality bitumen to our clients all over the world.

EAST AFRICAN COUNTRIES

Validity: One Week



MOMBASA, KENYA

MOMBASA, KENYA		
Grade	PER BARREL	PER TONE
40/50	\$82	\$452
60/70 & 85/100	\$82	\$450
35/50	\$83	\$455
50/70 & 70/100	\$82	\$454
Cut-Back-MC30	\$133	\$706
Oxized Bitumen 115/15 (18 KG Bag)		\$412



DAR ES SALAAM, TANZANIA

DAR ES SALAAM, TANZANIA		
Grade	PER BARREL	PER TONE
40/50	\$85	\$469
60/70 & 85/100	\$85	\$467
35/50	\$86	\$472
50/70 & 70/100	\$86	\$471
Cut-Back-MC30	\$138	\$730
Oxized Bitumen 115/15 (18 KG Bag)		\$428



DJIBOUTI, DJIBOUTI

DJIBOUTI, DJIBOUTI		
Grade	PER BARREL	PER TONE
40/50	\$84	\$463
60/70 & 85/100	\$84	\$461
35/50	\$85	\$466
50/70 & 70/100	\$85	\$465
Cut-Back-MC30	\$136	\$722
Oxized Bitumen 115/15 (18 KG Bag)		\$423



TOAMASINA, MADAGASCAR

TOAMASINA, MADAGASCAR		
Grade	PER BARREL	PER TONE
40/50	\$98	\$538
60/70 & 85/100	\$97	\$536
35/50	\$98	\$541
50/70 & 70/100	\$98	\$540
Cut-Back-MC30	\$155	\$820
Oxized Bitumen 115/15 (18 KG Bag)		\$491



NACALA, MOZAMBIQUE

NACALA, MOZAMBIQUE		
Grade	PER BARREL	PER TONE
40/50	\$98	\$538
60/70 & 85/100	\$97	\$536
35/50	\$98	\$541
50/70 & 70/100	\$98	\$540
Cut-Back-MC30	\$155	\$820
Oxized Bitumen 115/15 (18 KG Bag)		\$491



BEIRA, MOZAMBIQUE

BEIRA, MOZAMBIQUE		
Grade	PER BARREL	PER TONE
40/50	\$101	\$556
60/70 & 85/100	\$101	\$554
35/50	\$102	\$559
50/70 & 70/100	\$101	\$558
Cut-Back-MC30	\$159	\$843
Oxized Bitumen 115/15 (18 KG Bag)		\$507

EAST AFRICAN COUNTRIES

Validity: One Week

WEST AFRICAN COUNTRIES

Validity: One Week



WALVIS BAY, NAMIBIA

WALVIS BAY, NAMIBIA		
Grade	PER BARREL	PER TONE
60/70	\$113	\$621
50/70	\$113	\$623
35/50	\$114	\$625
Cut-Back-MC30	\$176	\$933
Oxized Bitumen 115/15 (18 KG Bag)		\$569



LUANDA, ANGOLA

LUANDA, ANGOLA		
Grade	PER BARREL	PER TONE
60/70	\$103	\$566
50/70	\$103	\$568
35/50	\$104	\$570
Cut-Back-MC30	\$162	\$860
Oxized Bitumen 115/15 (18 KG Bag)		\$519



LIBREVILLE, GABON

LIBREVILLE, GABON		
Grade	PER BARREL	PER TONE
60/70	\$107	\$591
50/70	\$108	\$593
35/50	\$108	\$595
Cut-Back-MC30	\$169	\$893
Oxized Bitumen 115/15 (18 KG Bag)		\$541



POINTE-NOIRE, R CONGO

POINTE-NOIRE, R CONGO		
Grade	PER BARREL	PER TONE
60/70	\$103	\$569
50/70	\$104	\$571
35/50	\$104	\$573
Cut-Back-MC30	\$163	\$863
Oxized Bitumen 115/15 (18 KG Bag)		\$521



MATADI, DR CONGO

MATADI, DR CONGO		
Grade	PER BARREL	PER TONE
60/70	\$108	\$596
50/70	\$109	\$598
35/50	\$109	\$600
Cut-Back-MC30	\$170	\$900
Oxized Bitumen 115/15 (18 KG Bag)		\$546



BATA, GUINEA EQUATORIAL

BATA, GUINEA EQUATORIAL		
Grade	PER BARREL	PER TONE
60/70	\$107	\$586
50/70	\$107	\$588
35/50	\$107	\$590
Cut-Back-MC30	\$167	\$887
Oxized Bitumen 115/15 (18 KG Bag)		\$537

WEST AFRICAN COUNTRIES

Validity: One Week

WEST AFRICAN COUNTRIES

Validity: One Week



DUALA, CAMEROON

DUALA, CAMEROON		
Grade	PER BARREL	PER TONE
60/70	\$102	\$561
50/70	\$102	\$563
35/50	\$103	\$565
Cut-Back-MC30	\$161	\$853
Oxized Bitumen 115/15 (18 KG Bag)		\$514



COTONOU, BENIN

COTONOU, BENIN		
Grade	PER BARREL	PER TONE
60/70	\$103	\$568
50/70	\$104	\$570
35/50	\$104	\$572
Cut-Back-MC30	\$163	\$862
Oxized Bitumen 115/15 (18 KG Bag)		\$520



LOMÉ, TOGO

LOMÉ, TOGO		
Grade	PER BARREL	PER TONE
60/70	\$104	\$571
50/70	\$104	\$573
35/50	\$105	\$575
Cut-Back-MC30	\$164	\$867
Oxized Bitumen 115/15 (18 KG Bag)		\$523



BANJUL, GAMBIA

BANJUL, GAMBIA		
Grade	PER BARREL	PER TONE
60/70	\$113	\$624
50/70	\$114	\$626
35/50	\$114	\$628
Cut-Back-MC30	\$177	\$937
Oxized Bitumen 115/15 (18 KG Bag)		\$571



FREETOWN, SIERRA

FREETOWN, SIERRALEON		
Grade	PER BARREL	PER TONE
60/70	\$105	\$576
50/70	\$105	\$578
35/50	\$105	\$580
Cut-Back-MC30	\$165	\$873
Oxized Bitumen 115/15 (18 KG Bag)		\$528



MONROVIA, LIBERIA

MONROVIA, LIBERIA		
Grade	PER BARREL	PER TONE
60/70	\$108	\$596
50/70	\$109	\$598
35/50	\$109	\$600
Cut-Back-MC30	\$170	\$900
Oxized Bitumen 115/15 (18 KG Bag)		\$546

WEST AFRICAN COUNTRIES

Validity: One Week

WEST AFRICAN COUNTRIES

Validity: One Week



CONAKRY, GUINEA

CONAKRY, GUINEA		
Grade	PER BARREL	PER TONE
60/70	\$107	\$591
50/70	\$108	\$593
35/50	\$108	\$595
Cut-Back-MC30	\$169	\$893
Oxized Bitumen 115/15 (18 KG Bag)		\$541



DAKAR, SENEGAL

DAKAR, SENEGAL		
Grade	PER BARREL	PER TONE
60/70	\$103	\$566
50/70	\$103	\$568
35/50	\$104	\$570
Cut-Back-MC30	\$162	\$860
Oxized Bitumen 115/15 (18 KG Bag)		\$519



NOUAKCHOTT, MAURITANIA

NOUAKCHOTT, MAURITANIA		
Grade	PER BARREL	PER TONE
60/70	\$105	\$576
50/70	\$105	\$578
35/50	\$105	\$580
Cut-Back-MC30	\$165	\$873
Oxized Bitumen 115/15 (18 KG Bag)		\$528



DURBAN, SOUTH AFRICA

DURBAN, SOUTH AFRICA		
Grade	PER BARREL	PER TONE
60/70	\$89	\$491
50/70	\$90	\$493
35/50	\$90	\$495
Cut-Back-MC30	\$143	\$760
Oxized Bitumen 115/15 (18 KG Bag)		\$450

ASIAN COUNTRIES

Validity: One Week



YANGON, MYANMAR

YANGON, MYANMAR		
60/70 & 85/100	Drum 180KG	\$424
	Jumbo Bag	\$419
115/15	18 KG bag	\$389
Cut-Back-MC30	Drum 220 lits	\$672
	IBC Tank	\$657



PHNOM PENH, CAMBODIA

PHNOM PENH, CAMBODIA		
60/70 & 85/100	Drum 180KG	\$456
	Jumbo Bag	\$451
Oxidized Bitumen 115/15	18 KG bag	\$419
Cut-Back-MC30	Drum 220 lits	\$713
	IBC Tank	\$693



SIHANOUVILLE, CAMBODIA

SIHANOUVILLE, CAMBODIA		
60/70 & 85/100	Drum 180KG	\$456
	Jumbo Bag	\$451
Oxidized Bitumen 115/15	18 KG bag	\$419
Cut-Back-MC30	Drum 220 lits	\$713
	IBC Tank	\$693



HO CHI MINH, VIETNAM

HO CHI MINH, VIETNAM		
60/70 & 85/100	Drum 180KG	\$411
	Jumbo Bag	\$406
Oxidized Bitumen 115/15	18 KG bag	\$377
Cut-Back-MC30	Drum 220 lits	\$655
	IBC Tank	\$643



HAIPHONG, VIETNAM

HAIPHONG, VIETNAM		
60/70 & 85/100	Drum 180KG	\$411
	Jumbo Bag	\$406
115/15	18 KG bag	\$377
Cut-Back-MC30	Drum 220 lits	\$655
	IBC Tank	\$643



KLANG, MALAYSIA


PORT KLANG, MALAYSIA		
60/70 & 85/100	Drum 180KG	\$396
	Jumbo Bag	\$391
Oxidized Bitumen 115/15	18 KG bag	\$364
Cut-Back-MC30	Drum 220 lits	\$635
	IBC Tank	\$627

ASIAN COUNTRIES

Validity: One Week

ASIAN COUNTRIES

Validity: One Week



SURABAYA, INDONESIA

SURABAYA, INDONESIA		
60/70 & 85/100	Drum 180KG	\$401
	Jumbo Bag	\$396
Oxidized Bitumen 115/15	18 KG bag	\$368
Cut-Back-MC30	Drum 220 lits	\$642
	IBC Tank	\$632



JAKARTA, INDONESIA

JAKARTA, INDONESIA		
60/70 & 85/100	Drum 180KG	\$401
	Jumbo Bag	\$396
Oxidized Bitumen 115/15	18 KG bag	\$368
Cut-Back-MC30	Drum 220 lits	\$642
	IBC Tank	\$632



BELAWAN, INDONESIA

BELAWAN, INDONESIA		
60/70 & 85/100	Drum 180KG	\$401
	Jumbo Bag	\$396
Oxidized Bitumen 115/15	18 KG bag	\$368
Cut-Back-MC30	Drum 220 lits	\$642
	IBC Tank	\$632



LAE, PAPUA NEW GUINEA

LAE, PAPUA NEW GUINEA		
60/70 & 85/100	Drum 180KG	\$566
	Jumbo Bag	\$561
Oxidized Bitumen 115/15	18 KG bag	\$519
Cut-Back-MC30	Drum 220 lits	\$860
	IBC Tank	\$815



SOUTH MANILA, PHILIPPINES

SOUTH MANILA, PHILIPPINES		
60/70 & 85/100	Drum 180KG	\$451
	Jumbo Bag	\$446
Oxidized Bitumen 115/15	18 KG bag	\$414
Cut-Back-MC30	Drum 220 lits	\$707
	IBC Tank	\$687



NORTH MANILA, PHILIPPINES

NORTH MANILA, PHILIPPINES		
60/70 & 85/100	Drum 180KG	\$451
	Jumbo Bag	\$446
115/15	18 KG bag	\$414
Cut-Back-MC30	Drum 220 lits	\$707
	IBC Tank	\$687

ASIAN COUNTRIES

Validity: One Week

ASIAN COUNTRIES

Validity: One Week



DAVAO, PHILIPPINES

DAVAO, PHILIPPINES		
60/70 & 85/100	Drum 180KG	\$451
	Jumbo Bag	\$446
Oxidized Bitumen 115/15	18 KG bag	\$414
Cut-Back-MC30	Drum 220 lits	\$707
	IBC Tank	\$687



KAOHSIUNG, TAIWAN

KAOHSIUNG, TAIWAN		
60/70 & 85/100	Drum 180KG	\$406
	Jumbo Bag	\$401
Oxidized Bitumen 115/15	18 KG bag	\$372
Cut-Back-MC30	Drum 220 lits	\$648
	IBC Tank	\$637



KEELUNG, TAIWAN

KEELUNG, TAIWAN		
60/70 & 85/100	Drum 180KG	\$406
	Jumbo Bag	\$401
Oxidized Bitumen 115/15	18 KG bag	\$372
Cut-Back-MC30	Drum 220 lits	\$648
	IBC Tank	\$637

TERMS & CONDITIONS

East Africa

East African prices include inspection certificate Q&Q / PVOC / COC by SGS.

West Africa

The West African prices include the inspection certificate by SGS or Geo Chem, according to the buyer's request.

Country-specific documents—such as BESC, FEERI, ECTN, and others— can be prepared by the EMPERADOR team. The cost of these documents will be added to the above prices based on the quantity of the order.

Asia

All cargoes are inspected at the loading port by SGS or Geo Chem, at the seller's account.

The marking on the drums will conform to the buyer's specifications.

Switch BL and House BL will be done by the seller and in the seller's account.

PENETRATION GRADE (ASIA AND EAST AFRICA)

CHARACTERISTIC	UNIT	40/ 50	60/ 70	80/ 100	120/ 150	TEST METHOD
Penetration @ 25 °C	0.1 mm	40/ 50	60/ 70	80/ 100	120/ 150	ASTM D 5
Flash point	°C	>250	>250	>225	>218	ASTM D 92
Solubility in TCE	% WT	>99.5	>99.5	>99.5	>99	ASTM D 92
Specific Gravity @ 25 °C	kg / m³	1.01-1.06	1.01-1.06	1.01-1.05	1.00-1.05	ASTM D 70
Ductility @ 25 °C	cm	>100	>100	>100	>100	ASTM D 113
Softening point	°C	52-60	49-56	42-52	38-45	ASTM D 36
Loss on heating	% WT	<0.2	<0.2	<0.2	<0.5	ASTM D 6
Drop in penetration after heating	%	<20	<20	<20	<20	ASTM D 5

PENETRATION GRADE (SOUTH AND WEST AFRICA)

CHARACTERISTIC	UNIT	35/ 50	50/ 70	70/ 100	150/ 200	TEST METHOD
Penetration @ 25 °C	0.1 mm	35/ 50	50/ 70	70/ 100	150/ 200	ASTM D 5
Viscosity at 60°C, Pa.s	°C	220-400	120-250	75-150	30-60	ASTM D 4402
Viscosity at 135°C, mPa.s	% WT	270-650	220-450	150-400	120-300	ASTM D 4402
Specific Gravity @ 25 °C	kg / m³	1.01-1.06	1.01-1.06	1.01-1.05	1.00-1.04	ASTM D 3142
Softening point	°C	49-59	46-56	42-51	36-43	ASTM D 36

VISCOSITY GRADE (INDIA)

CHARACTERISTIC	UNIT	VG40	VG30	VG20	VG10	TEST METHOD
Absolute viscosity at 60°C,	Poises	3200-4800	2400-3600	1600-2400	800-1200	ASTM D 2171
Kinematic viscosity at 135°C	CST	400 MIN	350 MIN	300 MIN	250 MIN	ASTM D 2170
Penetration @ 25 °C	0.1 mm	40/ 60	50/ 70	60/ 80	80/ 100	ASTM D 5
Flash point	°C	220 MIN	220 MIN	220 MIN	220 MIN	ASTM D 92
Solubility in TCE	% WT	99 MIN	99 MIN	99 MIN	99 MIN	ASTM D 2040
Softening point	°C	50 MIN	47 MIN	45 MIN	40 MIN	ASTM D 36
Tests on residue from rolling thin film oven test						
a) Viscosity ratio at 60°C		4 MAX	4 MAX	4 MAX	4 MAX	ASTM D 2171
b) Ductility at 25°C		25 MIN	40 MIN	50 MIN	75 MIN	ASTM D 113

MEDIUM-CURING (MC) CUTBACK-BITUMEN

CHARACTERISTIC	UNIT	MC 30	MC 70	MC 250	MC 3000	TEST METHOD
Kinematic viscosity at 60°C	CST	30-60	70-140	250-500	3000-6000	ASTM D 2170
Flash point	°C	38	38	66	66	ASTM D 3143
Water Content (MAX)	%VOL	0.2	0.2	0.2	0.2	ASTM D 95
Distillate to 360						
225 (MAX)	%VOL	10	10	10	10	ASTM D 402
260	%VOL	40-70	25-65	15-55	15-75	ASTM D 402
315	%VOL	75-93	75-87	60-87	80 Min	ASTM D 402
Residue from Distillation to 360 (MIN)		50	55	67	67	ASTM D 402
Test on Residue Bitumen from Distillation						
Penetration @ 25 °C	0.1 mm	120-250	120-250	120-250	120-250	ASTM D 5
Ductility at 25°C	cm	100	100	100	100	ASTM D 113
Solubility in TCE	% WT	99	99	99	99	ASTM D 2042

RAPID-CURING (RC) CUTBACK-BITUMEN

CHARACTERISTIC	UNIT	RC 30	RC 70	RC 250	RC 3000	TEST METHOD
Kinematic viscosity at 60°C	CST	30-60	70-140	250-500	3000-6000	ASTM D 2170
Flash point	°C			27	27	ASTM D 3143
Water Content (MAX)	%VOL	0.2	0.2	0.2	0.2	ASTM D 95
Distillate to 360						
225 (MAX)	%VOL	55	50	35		ASTM D 402
260	%VOL	75	70	60	25	ASTM D 402
315	%VOL	90	85	80	70	ASTM D 402
Residue from Distillation to 360 (MIN)		50	55	65	75	ASTM D 402
Test on Residue Bitumen from Distillation						
Penetration @ 25 °C	0.1 mm	80-120	80-120	80-120	80-120	ASTM D 5
Ductility at 25°C	cm	100	100	100	100	ASTM D 113
Solubility in TCE	% WT	99	99	99	99	ASTM D 2042

PACKING DETAILS

PERFORMANCE GRADE					
CHARACTERISTIC	PG 58	PG 64	PG 70	PG 76	PG 82
After seven days maximum pavement design temperature, °C	< 58	< 64	< 70	< 76	< 82
maximum pavement design temperature, °C	>(-16) >(-10) >(-16) >(-22) >(-28) >(-34) >(-40)	>(-10) >(-16) >(-22) >(-28) >(-34) >(-40)			
Original Binder					
Dynamic shear (T315) G*/sin, min 1 kpa test temperature @ 10 rad/s, °C	58	64	70	76	82
RTFO treated Binder (T240)					
Dynamic shear (T315) G*/sin, min 2.2 kpa test temperature @ 10 rad/s, °C	58	64	70	76	82
Pressure ageing vessel reduce (R28)					
PAV aging temperature, °C	100	100	100 (110)	100 (110)	100 (110)
Dynamic shear (T315) G*/sin, min 5000 kpa test temperature @ 10 rad/s, °C	25 - 22 - 19 - 16 - 13	31 - 28 - 25 - 22 – 19 - 16	34 - 31 - 28 - 25 - 22 - 19	37 - 34 - 31 - 28 - 25	40 - 37 - 34 - 31 - 28

PENETRATION GRADES & PERFORMANCE GRADE:

180 KG NEW DRUM

NET WEIGHT: 182 KG+/-5

GROSS WEIGHT: 190 KG+/-5

110 NEW STEEL DRUMS IN PER 20' FCL (20 METRIC TONS).

PENETRATION GRADES:

JUMBO BAG

NET WEIGH: 1 MT

20 JUMBO BAGS IN PER 20' FCL (20 METRIC TONS).

PENETRATION GRADES:

150 KG NEW DRUM

NET WEIGHT: 145 KG+/-5

GROSS WEIGHT: 153 KG+/-5

110 NEW STEEL DRUMS IN PER 20' FCL (15 METRIC TONS).

CUT BACK BITUMEN:

GOOD RECONDITION DRUMS

NET WEIGHT: 190 KG+/-5

80 DRUMS IN PER 20' FCL (15 METRIC TONS).

- We have the flexibility to supply bitumen in accordance with your specific needs. Our company is outfitted with state-of-the-art facilities for both drum filling and storage.
- To maintain product quality and prevent contamination, each drum undergoes a meticulous quality control process. This is to ensure the high standard of our products.
- We offer standard packaging options in various sizes, including 150 Kg, 180 Kg, and 200 Kg.



EMPERADOR

Contact US

Headquarter

No. 1004, MM Tower, AL
Maktoum Rd, Deira, Dubai,

WhatsApp Number

+971 50 486 9095

Email Address

inquiry@emperador.ae

info@emperador.ae

www.emperador.ae